

AMENDMENTS TO THE CLAIMS

This listing of claims will replace all prior versions, and listings, of claims in the application:

Listing of Claims:

- 1 1. (Currently amended) A computer-implemented method for selectively
2 auditing accesses to a relational database, comprising:
3 receiving a query for the relational database;
4 selectively auditing an access to the relational database,
5 wherein selectively auditing the access involves
6 automatically modifying the query prior to processing the query,
7 wherein processing the query causes an audit record to be created
8 and recorded only for rows in relational tables accessed by the query
9 and satisfy an auditing condition,
10 ~~wherein satisfying the auditing condition allows selective~~
11 ~~auditing of the query and not for other rows,~~
12 wherein the auditing condition specifies a condition based on
13 a value of a field in a row in the relational database, and
14 wherein satisfying the auditing condition allows selective
15 auditing of the query,
16 ~~wherein if the query includes a select statement, inserting a~~
17 ~~case statement into the select statement calling a function causing~~
18 ~~the audit record to be created and recorded if the auditing condition~~
19 ~~is satisfied,~~
20 wherein inserting the case statement into the query further
21 comprises:

22 inserting the case statement into the query;
23 allowing a query processor to allocate buffer for the
24 query;
25 removing the case statement from the query;
26 allowing the query processor to generate a query plan
27 for the query; and
28 scheduling the case statement near the end of the
29 query plan to ensure the case statement is evaluated only
30 after other conditions of the query are satisfied; so the
31 auditing record is created only for rows actually accessed by
32 the query;
33 processing the modified query to produce a query result, wherein processing
34 the modified query includes,
35 creating the auditing records for rows in relational tables
36 accessed by the query and satisfying the auditing condition, and
37 recording the audit record in an audit record store; and
38 returning the query result.

1 2 (Canceled).

1 3. (Previously presented) The method of claim 1, further comprising
2 ensuring the case statement is evaluated near the end of the query processing so the
3 case statement is evaluated only after other conditions of the query are satisfied.

1 4 (Canceled).

1 5. (Original) The method of claim 1, wherein if the query modifies at least
2 one entry in the relational database, using a relational database system trigger to
3 create and record the audit record for the modification to the relational database.

1 6 (Canceled).

1 7. (Original) The method of claim 1, wherein the audit record includes:
2 a user name for a user making the query;
3 a time stamp specifying a time of the query; and
4 a text of the query.

1 8. (Original) The method of claim 1, wherein the auditing condition
2 includes a condition for a field within the relational database.

1 9. (Currently amended) A computer-readable storage medium storing
2 instructions to be executed by a computer causing the computer to perform a
3 method for selectively auditing accesses to a relational database, the method
4 comprising:
5 receiving a query for the relational database;
6 selectively auditing an access to the relational database,
7 wherein selectively auditing the access involves
8 automatically modifying the query prior to processing the query,
9 wherein processing the query causes an audit record to be created
10 and recorded only for rows in relational tables accessed by the query
11 and satisfying an auditing condition,
12 ~~wherein satisfying the auditing condition allows selective~~
13 ~~auditing of the query and not for other rows,~~
14 wherein the auditing condition specifies a condition based on
15 a value of a field in a row in the relational database, and
16 wherein satisfying the auditing condition allows selective
17 auditing of the query,
18 ~~wherein if the query includes a select statement, inserting a~~
19 ~~case statement into the select statement calling a function causing~~
20 ~~the audit record to be created and recorded if the auditing condition~~

21 ~~is satisfied,~~
22 ~~wherein inserting the case statement into the query further~~
23 ~~comprises:~~
24 ~~inserting the case statement into the query,~~
25 ~~allowing a query processor to allocate buffer~~
26 ~~for the query,~~
27 ~~removing the case statement from the query,~~
28 ~~allowing the query processor to generate a~~
29 ~~query plan for the query, and~~
30 ~~scheduling the case statement near the end of~~
31 ~~the query plan to ensure the case statement is~~
32 ~~evaluated only after other conditions of the query are~~
33 ~~satisfied, so the auditing record is created only for~~
34 ~~rows actually accessed by the query;~~
35 processing the modified query to produce a query result, wherein processing
36 the modified query includes:
37 creating the auditing records for rows in relational tables
38 accessed by the query and satisfying the auditing condition, and
39 recording the audit record in an audit record store; and
40 returning the query result.

1 10 (Canceled).

1 11. (Previously presented) The computer-readable storage medium of claim
2 9, wherein the method further comprises ensuring the case statement is evaluated
3 near the end of the query processing so the case statement is evaluated only after
4 other conditions of the query are satisfied.

1 12. (Original) The computer-readable storage medium of claim 9, wherein
2 the method further comprises retrieving the auditing condition for a given table
3 from a data structure associated with the given table.

1 13. (Original) The computer-readable storage medium of claim 9, wherein if
2 the query modifies at least one entry in the relational database, the method further
3 comprises using a relational database system trigger to create and record the audit
4 record for the modification to the relational database.

1 14 (Canceled).

1 15. (Original) The computer-readable storage medium of claim 9, wherein
2 the audit record includes:
3 a user name for a user making the query;
4 a time stamp specifying a time of the query; and
5 a text of the query.

1 16. (Original) The computer-readable storage medium of claim 9, wherein
2 the auditing condition includes a condition for a field within the relational database.

1 17. (Currently amended) An apparatus for selectively auditing accesses to a
2 relational database, comprising:
3 a receiving mechanism configured to receive a query for the relational
4 database;
5 a selective auditing mechanism configured to selectively audit an access to
6 the relational database,
7 wherein selectively auditing the access involves
8 automatically modifying the query prior to processing the query,
9 wherein processing the query causes an audit record to be created
10 and recorded only for rows in relational tables accessed by the query

11 and satisfying an auditing condition,
12 ~~wherein satisfying the auditing condition allows selective~~
13 ~~auditing of the query and not for other rows,~~
14 wherein the auditing condition specifies a condition based on
15 a value of a field in a row in the relational database, and
16 wherein satisfying the auditing condition allows selective
17 auditing of the query,
18 ~~wherein if the query includes a select statement, inserting a~~
19 ~~case statement into the select statement calling a function causing~~
20 ~~the audit record to be created and recorded if the auditing condition~~
21 ~~is satisfied,~~
22 ~~wherein inserting the case statement into the query further~~
23 ~~comprises:~~
24 ~~inserting the case statement into the query,~~
25 ~~allowing a query processor to allocate buffer~~
26 ~~for the query,~~
27 ~~removing the case statement from the query,~~
28 ~~allowing the query processor to generate a~~
29 ~~query plan for the query,~~
30 ~~and scheduling the case statement near the~~
31 ~~end of the query plan to ensure the case statement is~~
32 ~~evaluated only after other conditions of the query are~~
33 ~~satisfied, so the auditing record is created only for~~
34 ~~rows actually accessed by the query;~~
35 a query processor configured to process the modified query to produce a
36 query result, wherein processing the modified query includes:
37 creating the auditing records for rows in relational tables
38 accessed by the query and satisfying the auditing condition, and
39 recording the audit record in an audit record store; and
40 a returning mechanism configured to return the query result.

1 18 (Canceled).

1 19. (Previously presented) The apparatus of claim 17, wherein the query
2 modification mechanism is configured to ensure the case statement is evaluated
3 near the end of the query processing so the case statement is evaluated only after
4 other conditions of the query are satisfied.

1 20. (Original) The apparatus of claim 17, wherein the query modification
2 mechanism is configured to retrieve the auditing condition for a given table from a
3 data structure associated with the given table.

1 21. (Original) The apparatus of claim 17, wherein if the query modifies at
2 least one entry in the relational database, the apparatus uses a relational database
3 system trigger to create and record the audit record for the modification to the
4 relational database.

1 22 (Canceled).

1 23. (Original) The apparatus of claim 17, wherein the audit record includes:
2 a user name for a user making the query;
3 a time stamp specifying a time of the query; and
4 a text of the query.

1 24. (Original) The apparatus of claim 17, wherein the auditing condition
2 includes a condition for a field within the relational database.

1 25. (Previously presented) The method of claim 1, further comprising
2 retrieving the auditing condition for a given table from a data structure associated
3 with the given table.

1 26. (Currently amended) A computer-implemented method for selectively
2 auditing accesses to a relational database, comprising:
3 receiving a database operation for the relational database;
4 selectively auditing an access to the relational database based on an
5 auditing condition, wherein the auditing condition specifies a condition based on a
6 value of a field in a row in the relational database;
7 processing the database operation to produce a database operation result,
8 wherein processing the database operation includes:
9 creating the auditing records for selected rows in the
10 relational database that are accessed by the database operation,
11 wherein the selected rows satisfy the auditing condition, and
12 recording the audit record in an audit record store; and
13 returning the database operation result;
14 wherein selectively auditing the access involves automatically modifying
15 the database operation prior to processing the database operation;
16 ~~wherein processing the database operation causes an audit record to be~~
17 ~~created and recorded only for rows in relational tables that are accessed by the~~
18 ~~database operation and that satisfy an auditing condition;~~
19 wherein satisfying the auditing condition allows selective auditing of the
20 database operation and not for other rows;
21 wherein satisfying the auditing condition allows selective auditing of the
22 database operation;
23 ~~wherein if the database operation includes a select statement, inserting a~~
24 ~~case statement into the select statement that calls a function that causes the audit~~
25 ~~record to be created and recorded if the auditing condition is satisfied; and~~
26 ~~wherein if inserting the case statement into the database operation further~~
27 ~~comprises inserting the case statement into the database operation;~~

28 ~~allowing a database operation processor to allocate buffer~~
29 ~~for the database operation,~~
30 ~~removing the case statement from the database operation,~~
31 ~~allowing the database operation processor to generate a~~
32 ~~database operation plan for the database operation, and~~
33 ~~scheduling the case statement near the end of the database~~
34 ~~operation plan to ensure that the case statement is evaluated only~~
35 ~~after other conditions of the database operation are satisfied, so that~~
36 ~~the auditing record is created only for rows that are actually~~
37 ~~accessed by the database operation.~~

1 27 (Canceled).

1 28. (Previously presented) The method of claim 26, wherein the auditing
2 condition includes a condition for at least two fields within the relational database.

1 29. (Currently amended) A computer-readable storage medium storing
2 instructions that when executed by a computer cause the computer to perform a
3 method for selectively auditing accesses to a relational database, the method
4 comprising:
5 receiving a database operation for the relational database;
6 selectively auditing an access to the relational database based on an
7 auditing condition, wherein the auditing condition specifies a condition based on a
8 value of a field in a row in the relational database;
9 processing the database operation to produce a database operation result,
10 wherein processing the database operation includes:
11 creating the auditing records for selected rows in the
12 relational database that are accessed by the database operation,

13 wherein the selected rows satisfy the auditing condition, and
14 recording the audit record in an audit record store; and
15 returning the database operation result;
16 wherein selectively auditing the access involves automatically modifying
17 the database operation prior to processing the database operation;
18 ~~wherein processing the database operation causes an audit record to be~~
19 ~~created and recorded only for rows in relational tables that are accessed by the~~
20 ~~database operation and that satisfy an auditing condition;~~
21 wherein satisfying the auditing condition allows selective auditing of the
22 database operation and not for other rows;
23 wherein satisfying the auditing condition allows selective auditing of the
24 database operation;
25 ~~wherein if the database operation includes a select statement, inserting a~~
26 ~~case statement into the select statement that calls a function that causes the audit~~
27 ~~record to be created and recorded if the auditing condition is satisfied; and~~
28 ~~wherein if inserting the case statement into the database operation further~~
29 ~~comprises inserting the case statement into the database operation:~~
30 ~~allowing a database operation processor to allocate buffer~~
31 ~~for the database operation;~~
32 ~~removing the case statement from the database operation;~~
33 ~~allowing the database operation processor to generate a~~
34 ~~database operation plan for the database operation; and~~
35 ~~scheduling the case statement near the end of the database~~
36 ~~operation plan to ensure that the case statement is evaluated only~~
37 ~~after other conditions of the database operation are satisfied, so that~~
38 ~~the auditing record is created only for rows that are actually~~
39 ~~accessed by the database operation.~~

1 30 (Canceled).

1 31. (Previously presented) The computer-readable storage medium of
2 claim 29, wherein the auditing condition includes a condition for at least two
3 fields within the relational database.

1 32. (Currently amended) An apparatus for selectively auditing accesses to
2 a relational database, comprising:

3 a receiving mechanism configured to receive a database operation for the
4 relational database;

5 a selective auditing mechanism configured to selectively audit an access to
6 the relational database based on an auditing condition, wherein the auditing
7 condition specifies a condition based on a value of a field in a row in the relational
8 database;

9 a processing mechanism configured to process the database operation to
10 produce a database operation result;

11 a creating mechanism configured to create the auditing records for
12 selected rows in the relational database that are accessed by the database
13 operation, wherein the selected rows satisfy the auditing condition, and

14 a recording mechanism configured to record the audit record in an audit
15 record store; and

16 a returning mechanism configured to return the database operation result;
17 wherein selectively auditing the access involves automatically modifying
18 the database operation prior to processing the database operation;

19 ~~wherein processing the database operation causes an audit record to be~~
20 ~~created and recorded only for rows in relational tables that are accessed by the~~
21 ~~database operation and that satisfy an auditing condition;~~

22 wherein satisfying the auditing condition allows selective auditing of the
23 database operation and not for other rows;
24 wherein satisfying the auditing condition allows selective auditing of the
25 database operation;
26 ~~wherein if the database operation includes a select statement, inserting a~~
27 ~~case statement into the select statement that calls a function that causes the audit~~
28 ~~record to be created and recorded if the auditing condition is satisfied; and~~
29 ~~wherein if inserting the case statement into the database operation further~~
30 ~~comprises inserting the case statement into the database operation:~~
31 ~~allowing a database operation processor to allocate buffer~~
32 ~~for the database operation,~~
33 ~~removing the case statement from the database operation,~~
34 ~~allowing the database operation processor to generate a~~
35 ~~database operation plan for the database operation, and~~
36 ~~scheduling the case statement near the end of the database~~
37 ~~operation plan to ensure that the case statement is evaluated only~~
38 ~~after other conditions of the database operation are satisfied, so that~~
39 ~~the auditing record is created only for rows that are actually~~
40 ~~accessed by the database operation.~~

1 33 (Canceled).

1 34. (Previously presented) The apparatus of claim 32, wherein the auditing
2 condition includes a condition for at least two fields within the relational database.